Google

[scsi assigns numbers consecutively] [Search]   Advanced Search / Preferences

Web   Results 11 - 20 of about 236 for scsi assigns numbers consecutively. (0.24 seconds)

docs.sun.com: Sun Enterprise 10000 Dynamic Reconfiguration User's ...
... the disk controller number that disks(1M) assigns. ... controller numbers are the next available lowest numbers. ... devices are suspend-unsafe, all SCSI tape devices ...
docs.sun.com/db/doc/805-5442-10/6j550p3p77a=view - 56k - Cached - Similar pages

docs.sun.com: Sun Enterprise 10000 Dynamic Reconfiguration User's ...
... the disk controller number that disks(1M) assigns. ... controller numbers are the next available lowest numbers. ... All SCSI tape devices that are natively supported. ...
docs.sun.com/db/doc/805-3525-10/6j3bsit77a=view - 53k - Cached - Similar pages
[More results from docs.sun.com]

[PS] **Institute of Information Systems Database Research Group**
File Format: Adobe PostScript - View as Text
... The third alternative HASHCONS (Figure 2(c)) assigns data items ... We use different numbers of terms per query for our ... tablespaces on an IDE and an SCSI disk drive ...
www.inf.ethz.ch/research/publications/ data/tech-reports/3xx/340.ps - Similar pages

[PDF] **A Parallel Document Engine Built on Top of a Cluster of Databases**
File Format: PDF/Adobe Acrobat - View as HTML
... and ¢ HASHCONS: HASHing data items CONSecutively to component ... The first placement scheme assigns each table to a ... not scale for component numbers bigger than ...
www.inf.ethz.ch/research/publications/ data/tech-reports/3xx/340.pdf - Similar pages

[PS] **Memory Servers for Multicomputers|Lambda Liviu Iftode Kai Li Karin ...**
File Format: Adobe PostScript - View as Text
... A static system based partitioning scheme assigns computation and ... is connected to an 1 Gbyte SCSI disk ... of 1 mil- lion randomly generated floating point numbers. ...
www.cs.princeton.edu/~liv/papers/compcon93.ps - Similar pages

[PDF] **PubTeX output 1999.11.02:1347**
File Format: PDF/Adobe Acrobat - View as HTML
... 37 Name Services 37 User (Login) Names 37 User ID Numbers 38 Passwords ... 279 SCSI and PCI Hot-Plugging 279 Improved Device Configuration (devfsadm) 280 Where to ...
www.ligo-la.caltech.edu/~support/805-7228.pdf - Similar pages

[PDF] **RAPPORT**
File Format: PDF/Adobe Acrobat - View as HTML
... Ð Ö Ø Ö Ù × ° Ð Ö Ù × ° Ð Ö Ù × %×⁄×¼ ˣ Ð È
Ø Ø Ù̈Ñ̈Ó Ó × ÈÐ Ø ÈÐ Ù ×₂ Ñ̈ÙÐ Ö Ø SCSI ÓÖ ÒÑ̈Ó Ó
ftp.cwi.nl/CWIreports/INS/INS-R0006.pdf - Similar pages

4th USENIX OSDI Symposium Paper - 2000
... via a variety of interconnects, including SCSI buses and ... the cache are shown as file block numbers, with ' e ... page of the data file resides, it assigns a latency ...
www.usenix.org/events/osdi2000/full_papers/ vanmeter/vanmeter_html/ - 73k - Cached - Similar pages

[PDF] **Latency Management in Storage Systems**
File Format: PDF/Adobe Acrobat - View as HTML
... via a variety of inter- connects, including SCSI buses and ... cache are shown as file

---

block numbers, with ' e ... page of the data file resides, it assigns a latency ...
www.usenix.org/events/osdi2000/full_papers/vanmeter/vanmeter.pdf - Similar pages
[More results from www.usenix.org]

[PDF] **NT Setup for FC SCSI Disk & Nav.**
File Format: PDF/Adobe Acrobat
...Windows NT assigns disk numbers by scanning all Scsi buses for disk devices and naming the devices in the order in which it finds them. ...
www-csc.dg.com/csc/custdocs/40026811.pdf - Supplemental Result - Similar pages

◄ Goooooooooooogle ►
Result Page: Previous 1 2 3 4 5 6 7 8 9 10 11   Next

[scsi assigns numbers consecutiv] [Search]

Search within results | Language Tools | Search Tips

Google Home - Advertising Products - Business Solutions - About Google

©2004 Google

... Next in thread: John: "Re: 2 SCSI Controllers ... this because the driver simply queries the PCI controller which 'tells' all the PCI devices to enumerate, then the ...
www.alphalinux.org/archives/axp-list/ January1999/0064.html - 6k - Cached - Similar pages

▼ Goooooooooooogle ▲
Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 **Next**

enumerate scsi [Search]

Search within results | Language Tools | Search Tips

Google Home - Advertising Products - Business Solutions - About Google

©2004 Google

Google

Web Images Groups News Froogle New! more »

enumerate scsi [Search] Advanced Search Preferences

Web   Results 11 - 20 of about 3,560 for enumerate scsi. (0.25 seconds)

Mid-Atlantic Linux Mailing Lists Archives by Month: Re: scsi ID's
...Here is a clip from an old Scsi-HOWTO. Unfortunately, Microsoft decided that Windows 95 would always enumerate the PCI slots in order of increasing bus number ...
boudicca.tux.org/mhonarc/ma-linux/ 1998/1998-Aug/0198.html - 4k - Cached - Similar pages

[TCLUG] burners and SCSI emulation
... to the /etc/lilo.conf which tells the ide-cdrom driver to ignore the cdrom drive, so that the IDE-SCSI emulation can pick it up & enumerate it as a SCSI device ...
archives.real-time.com/pipermail/ tclug-list/2001-June/036624.html - 6k - Cached - Similar pages

The Linux SCSI HOWTO: Hosts
...For booting from a SCSI disk to work correctly, it is necessary that the host ... Some PCI BIOS implementations enumerate the PCI slots in order of increasing bus ...
www.uni-paderborn.de/Linux/mdw/HOWTO/SCSI-HOWTO-5.html - 77k - Cached - Similar pages

LWN: Lots of SCSI disks
... to solve: they wanted to be able to enumerate all of those disks without breaking existing systems. In other words, all of the existing SCSI device numbers ...
lwn.net/Articles/75928/ - 28k - Apr 6, 2004 - Cached - Similar pages

Visual SCSI Explorer overview page
... (2.1). · Script will be able to enumerate all host bus adapters and all SCSI devices on the computer. This will make possible to ...
www.scsiexplorer.com.ua/overview.htm - 51k - Cached - Similar pages

Visual SCSI Explorer :: by Andriy Chobik
... (2.1); Script will be able to enumerate all host bus adapters and all SCSI devices on the computer. This will make possible to handle ...
www.scsiexplorer.com.ua/ index.php?module=ContentExpress&func=display&ceid=9 - 24k - Apr 6, 2004 - Cached - Similar pages

2.1 General Requirements
... Prior to enumerating any other devices, the SCSI HD must first enumerate exactly one multi-lun pseudo device using an attr_list containing only the ...
uw713doc.sco.com/en/UDI_spec/scsi_reqmts.html - 101k - Cached - Similar pages

SCSI, SMP, and Supermicro problems!
... we were back to the old failure: >> >> Waiting 15 seconds for SCSI devices to ... Check if we should perform a hyperthreading "fix-up" to ° enumerate any logical ...
lists.freebsd.org/pipermail/freebsd-hardware/ 2003-October/000652.html - 13k - Cached - Similar pages

[PDF] UDI SCSI Driver Specification Version 1.01
File Format: PDF/Adobe Acrobat - View as HTML
... Typical HBA's are single ported (containing a single SCSI interface) or if multi-ported, enumerate their hardware such that separate and independent hardware ...
www.projectudi.org/Release_1.01/ PDF/scsi_driver_spec.pdf - Similar pages

axp-list: Re: 2 SCSI Controllers

Google

scsi enumeration id incremented | Search | Advanced Search / Preferences

Web   Results 11 - 20 of about 218 for scsi enumeration id incremented. (1.98 seconds)

Summary of changes from v2.5.36 to v2.5.37 ...
... Infrastructure to allow for firmware-based enumeration of the ... one would be much better
static in scsi.c <jgarzik ... load that board - Always start phy id scan at ...
www.kernel.org/pub/linux/kernel/v2.5/ChangeLog-2.5.37 - 57k - Cached - Similar pages

Summary of changes from v2.5.46 to v2.5.47 ...
... vac property enumeration pollutes namespace ... 2.5 include/pcmcia/ciscode.h o added product
ID's for a ... multiple updates and fixes, driver ported to scsi mid-layer ...
www.kernel.org/pub/linux/kernel/v2.5/ChangeLog-2.5.47 - 86k - Cached - Similar pages
[More results from www.kernel.org]

EP1238333
... leaf 570, and two sub-nexus ; -SCSI HBA driver ... class API */ * drv-probe () performs
an enumeration/probing of ... dev->node, my->ops, my->id) ; if (dtreePropFind ...
swpat.ffii.org/pikta/txt/ep/1238/333/ - 101k - Cached - Similar pages

RE: [ips] FW: Initial review of http://www.ietf.org/internet-draf
... of a FC switch), or zero if > > > the no Domain id has been ... 3. FcPortType enumeration
"dynamic(3 ... www.ietf.org/internet-draf: Next by Date: [ips] SCSI MIB status ...
https://www1.ietf.org/mail-archive/working-groups/ips/current/msg00429.html - 32k - Cached - Similar pages

(pdf) T10/02-134r2 SAM-2 SPC-3 SBC-2 SSC-2 Clearing effects of I_T nexus ...
File Format: PDF/Adobe Acrobat - View as HTML
... wakeup from in a SCSI target port as described in SPC-3. 5 SCSI Command Model ... commands
of an I_T_L nexus shall include a CRN argument that is incremented by one ...
www.t10.org/ftp/t10/document.02/02-134r2.pdf - Similar pages

USB Mail March 15 - 21, 2001
... The result show that >the SCSI commands not run sequential ... the firmware and causes
>a re-enumeration, and one ... the support of numerous devices with the same ID. ...
developer.apple.com/hardware/usb/ usb_mail/2001/usbmail0315.htm - 59k - Cached - Similar pages

From linuxppc-dev@lists.linuxppc.org Tue Dec 2 23:34:05 2003 From ...
... The enumeration code still doesn't handle such errors well ... is perhaps not so important
since scsi-ide is ... Incoming to linuxppc-2.4 Message-ID: <E1AWtbv-0008AD-00 ...
source.mvista.com/pipermail/linuxppc-commit/ 2003-December.txt - 101k - Cached - Similar pages

Incoming to hostme.bitkeeper.com/ua/repos/p/ppc/linuxppc-2.5
... pre-existing disk geometry drivers/scsi/scsicam.c ... dev->devnum (assigned not quite
randomly during enumeration :) ... 0 [PATCH] USB physical paths id This provides ...
source.mvista.com/pipermail/linuxppc-commit/ 2002-April/002085.html - 101k - Cached - Similar pages

BEGIN PGP SIGNED MESSAGE----- Hash: SHA1 - --- linux-2.4.23 ...
... extern struct linux_romvec *romvec; - /* Enumeration to describe ... 2 10:02:32 2004
+++ b/drivers/scsi/megaraid.c ... - * $Id: sch_htb.c,v 1.24 2003/07/28 15:25 ...
www.hardrock.org/kernel/current-updates/ linux-2.4.24-updates.patch - 80k - Cached - Similar pages

LWN: 2.5.45 long-format changelog
... This broke the enumeration of some devices (maxpacket != 8 ... breakage: <komujun@nifty.com>
Add PCI id to tulip net ... PATCH] mpt fusion updates for scsi changes <alan ...
lwn.net/Articles/14198/ - 101k - Cached - Similar pages

◄ Goooooooooogle ►

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 **Next**

scsi enumeration id incremented | Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Products - Business Solutions - About Google

©2004 Google

Google

Web   Images   Groups   News   Froogle^{New!}   more »

[scsi enumeration sam]   [Search]   Advanced Search
Preferences

Web   Results 1 - 10 of about **842** for **scsi enumeration sam**. (0.13 seconds)

2.1 General Requirements
...must be used when doing the multi-lun enumeration, and are ... that the HD and its associated
hardware support full SCSI-3 LUN addressing per the SAM-2 Eight ...
uw713doc.sco.com/en/UDI_spec/scsi_reqmts.html - 101k - Cached - Similar pages

Linux-kernel mailing list archive 2002-24 : Re: /proc/scsi/map
... Previous message: Sam Ravnborg: "Re: 2.5.21 make problem". ... these four numbers all
arose by enumeration - they are ... quite some digging in /proc/scsi/scsi and /proc ...
www.cs.helsinki.fi/linux/linux-kernel/ 2002-24/0004.html - 7k - Cached - Similar pages

[PDF] **SSS & IP packets over SCSI**
File Format: PDF/Adobe Acrobat - View as HTML
...This standard is intended to be used in conjunction with the SCSI-3 Architecture
Model (SAM) standard and with the[X3.270] the SCSI-3 Primary Command Set (SPC ...
www.t10.org/ftp/t10/document.98/98-183r0.pdf - Similar pages

[PDF] **T10/02-232r2 SAM-3 SPC-3 SBC-2 Clearing effects of I_T nexus loss**
File Format: PDF/Adobe Acrobat - View as HTML
... T10/02-232r2 SAM-3 SPC-3 SBC-2 Clearing effects of I_T nexus loss Page 10 of 21
N Notification event services The SCSI transport protocol layer uses these ...
www.t10.org/ftp/t10/document.02/02-232r2.pdf - Similar pages
[More results from www.t10.org]

[PDF] **UDI SCSI Driver Specification Version 1.0**
File Format: PDF/Adobe Acrobat - View as HTML
... to the Single Level LUN Structure as per SAM-2 (ie ... is specified by the HD as an enumeration
attribute on ... basis, the LUN component is specified only in SCSI I/O ...
www.projectudi.org/Release_1.0/ pdf/scsi_driver_spec.pdf - Similar pages

patch-2.0.8 linux/drivers/scsi/BusLogic.h
... 21 @@ /* - Define the Enable Wide Mode SCSI CCB request ... a union of + structs containing
enumeration type bitfields ... nic.funet.fi TCL-scripts by Sam Shen, slshen ...
nic.funet.fi/pub/Linux/PEOPLE/Linux/v2.0/patch-html/ patch-2.0.8/linux_drivers_scsi_BusLogic.h.html - 12k -
Cached - Similar pages

Linux-Kernel Archive: Re: 2.7 block ramblings (was Re: DMA for ide ...
... What > SAM-3 did for SCSI was essentially give us ... like power management or h/w-specific
device enumeration. ... ATA and SCSI drivers would be fairly small, with a ...
www.uwsg.iu.edu/hypermail/linux/ kernel/0309.1/1915.html - 8k - Cached - Similar pages

UDI SCSI Driver Specification 1.01 - Glossary
... SAM SCSI-3 Architectural Model. ... two and the "tag" is level three of SCSI addressing.) ... the
attributes listed are rankable; all other enumeration attributes have ...
ou800doc.caldera.com/UDI_spec/scsi_driver_spec-5.html - 8k - Cached - Similar pages

MSDN Home > MSDN Library > Windows Development > Glossary > S
... security account manager (SAM) An integral subsystem that maintains a ... SRB See SCSI
request block ... a number of different ways, including device enumeration by the ...
msdn.microsoft.com/library/en-us/ gloss/hh/gloss/gloss_64qh.asp - 42k - Cached - Similar pages

---

Previous
...SAM Security Account Manager ... SRB (SCSI request block) A system-defined SCSI_REQUEST_BLOCK
structure that ... of different ways, including device enumeration by the ...
www.osr.com/ddk/gloss/glossary_6vsp.htm - 27k - Cached - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

[scsi enumeration sam]   [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Products - Business Solutions - About Google

©2004 Google

Page 1

L.Number	Hits	Search Text	DB	Time stamp
17	86	"3494" & "tape library"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 08:35
18	10	delayed & ("3494" & "tape library")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 08:37
19	542	710/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 08:38
20	29	modular & 710/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 08:41
21	1688	(daisychain$ (daisy adj1 chain$)) near3 (unit device module modular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:16
22	391695	(count number) near3 (unit device module modular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 08:43
23	128993	(id identif$) near3 (unit device module modular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 08:44
24	454	((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular) near3 (unit device module modular)) & ((count number) near3 (unit device module modular)) & ((id identif$) near3 (unit device module modular))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 08:44
25	82	tape & (((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular) & ((count number) near3 (unit device module modular)) & ((id identif$) near3 (unit device module modular)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 10:05
27	5	tape & (((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular) & ((count number) near3 (unit device module modular)) & ((id identif$) near3 (unit device module modular))) & (enumerat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 08:53
28	31339	tape near3 media	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 10:06
29	10	(((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular) & ((count number) near3 (unit device module modular)) & ((id identif$) near3 (unit device module modular))) & (tape near3 media)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 10:06
26	42	tape & (((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular) & ((count number) near3 (unit device module modular)) & ((id identif$) near3 (unit device module modular))) & (increment$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 10:36

Page 2

L.Number	Hits	Search Text	DB	Time stamp
30	2733	enumerat$ near3 (unit device module modular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:12
31	47	(tape near3 media) & (enumerat$ near3 (unit device module modular))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:12
32	47	((tape near3 media) & (enumerat$ near3 (unit device module modular))) not (tape & (((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular)) & ((count number) near3 (unit device module modular)) & ((id identif$) near3 (unit device module modular)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:13
33	604	((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular)) & pulse$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:17
34	110	tape & (((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular) & pulse$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:17
43	26	(US-6664658-$ or US-6438459-$ or US-6360232-$ or US-6356803-$ or US-6717694-$ or US-5901325-$ or US-6657763-$ or US-6298405-$ or US-5946278-$ or US-4342081-$ or US-6633905-$ or US-6493785-$ or US-5965510-$ or US-5537605-$).did. or (US-2004004860-$ or US-20020167226-$ or US-20030070053-$ or US-20030014693-$ or US-20030085621-$ or US-20030223409-$ or US-20030158979-$ or US-20020156951-$ or US-20020147843-$ or US-20020144046-$ or US-20030194037-$ or US-20010032279-$).did.	USPAT; US-PGPUB	2004/04/06 11:52
48	2	((US-6664658-$ or US-6438459-$ or US-6360232-$ or US-6356803-$ or US-6717694-$ or US-5901325-$ or US-6657763-$ or US-6298405-$ or US-5946278-$ or US-4342081-$ or US-6633905-$ or US-6493785-$ or US-5965510-$ or US-5537605-$).did. or (US-2004004860-$ or US-20020167226-$ or US-20030070053-$ or US-20030014693-$ or US-20030085621-$ or US-20030223409-$ or US-20030158979-$ or US-20020156951-$ or US-20020147843-$ or US-20020144046-$ or US-20030194037-$ or US-20010032279-$).did.) & enum$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:53
49	762	scsi & enum$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:00
51	1	(scsi & enum$) & (lun near3 increment$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:53
50	7	lun near3 increment$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:21

#	Results	Search Query	Databases	Date/Time
52	850	Id near3 increment$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:31
53	1	(scsi & enum$) & (id near3 increment$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:57
54	2527	target near5 increment$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:58
55	10	(target near5 increment$) & (scsi & enum$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 11:58
56	30	enum$ near3 increment$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:00
57	2	(scsi & enum$) & (enum$ near3 increment$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:02
60	62	(id near3 increment$) & scsi$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:16
61	11	lun near8 increment$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:21
62	8	scsi near3 (bus buses busses) near5 increment$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:38
67	4	power near3 reset near8 enumerat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:33
68	28077	count near3 (device unit module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:33
69	140	((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular)) & (count near3 (device unit module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:33
70	17	tape & ((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular)) & (count near3 (device unit module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:36
71	20	enumerat$ near3 lun	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:37

#	Results	Search Query	Databases	Date/Time
72	13	scsi near3 (bus buses busses) near5 enumerat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:39
73	5	scsi near3 (device unit module) near5 enumerat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:46
74	64	scsi near5 assign$ near3 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:48
75	0	scsi near5 assign$ near3 number near10 consecutive$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:05
76	564	assign$ near3 number near10 consecutive$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:20
77	56	scsi & (assign$ near3 number near10 consecutive$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:06
78	497	assign$ near3 number near10 increment$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 15:21
79	30	scsi & (assign$ near3 number near10 increment$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 16:06
80	2765	assign$ near3 (increment$ consecutive$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 16:07
81	7	((daisychain$ (daisy adj1 chain$)) near3 (unit device module modular)) & (assign$ near3 (increment$ consecutive$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 16:07
-	2	"20020169903".pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 20:03
-	21	frame & ("3494" & "tape library")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 20:14
-	4403	frame near3 bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 20:15
-	1271	"tape library"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 20:17

11	(frame near3 bus) & "tape library"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 20:15
2172	tape$1 near3 librar$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 20:17
11	(tape$1 near3 librar$3) & (frame near3 bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 20:17
0	((tape$1 near3 librar$3) & (frame near3 bus)) not ((frame near3 bus) & "tape library")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/05 20:17